

Masters Super Motor Oil

Gasoline engine oils

Standard grade gasoline engine oils specially formulated to meet the day-to-day requirements of passenger car engines with API SF/CD

Applications

Naturally aspirated 4-stroke engine oil.

Performance Features

Comprehensive additive package

Incorporate additives to impart the following properties:

- Good detergency
- Good oxidation stability
- Good anti-wear properties
- Adequate Viscosity retention with temperature
- Adequate shear stability.

Performance Specifications

Masters Super motor Oils are blended to meet API SF/CD Service Classification.

Health, Safety & Environment

Masters Super Motor Oils are unlikely to present any significant HSE hazard when properly used in the recommended application whilst good industrial, personal hygiene and environmental standards are maintained.

Avoid contact with skin. Use impervious gloves with used oil. In the event of skin contact, wash immediately with soap and water.

Dispose used oil safely. Do not discharge into drains, soil or water.

Advice

Advice on applications not covered in this leaflet may be obtained from the Lubricants Department, Alsa Petrochemicals Industries Limited, Lagos Ibadan Express way, Mowe Ogun State.

Tel: +234-8063876663,

Typical Physical Characteristics

SAE Viscosity Grade	40
Kinematic Viscosity (IP 71) @ 40°C cSt	149.65
@ 100°C cSt	15.2
Viscosity Index (IP 226)	102
Density @ 15°C ka/l (IP 365)	0.889
Flash Point °C (IP 36) (C.O.C)	260
Pour Point °C (IP 15)	-9
TBN-E (IP 276) mg KOH/g	7.0

These characteristics are typical of current production. Whilst future production will conform to Masters Energy Specifications, variations in these characteristics may occur.